

	Issue Date	Pages	Title	Document ID	Current OR	Current XRef
1	20020221	43	Liquid crystal display device and method of driving the same	US 20020021295 A1	345/205	345/87
2	19940920	21	Electro-optical device and process for fabricating the same and method of driving the same	US 5349366 A	345/92	345/206; 349/37; 349/48

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	190904	pixel or (display adj element)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	119812	nonvolatile or non-volatile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	10178	memory adj circuits	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	103	1 and 2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	50510	345/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	21	4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L8	736	345/89.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L9	14	1 and 2 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L10	677	SRAM and 1 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L11	14	8 and 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L12	363	(345/205-206).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L13	30181	FeRAM or SRAM	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L14	2437	1 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L15	677	5 and 14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L16	9	3 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L17	108	francis near nguyen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L18	2745	volatile and (memory adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L19	1456	nonvolatile and (memory adj circuit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	699	18 and 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L21	33	1 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L22	2	5793344.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L23	2	12 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB